



# United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/902,124	07/10/2001	Faisal Ishtiaq	CR00266M	7998
. 22917 7	590 12/21/2004		EXAMINER	
MOTOROLA	•	VO, TUNG T		
1303 EAST ALGONQUIN ROAD IL01/3RD			ART UNIT	PAPER NUMBER
SCHAUMBURG, IL 60196			2613	

DATE MAILED: 12/21/2004

Please find below and/or attached an Office communication concerning this application or proceeding.



		Application No.	Applicant(s)	
Office Action Summary		09/902,124	ISHTIAQ ET AL.	V
		Examiner	Art Unit	<u> </u>
		Tung T. Vo	2613	
Period for	The MAILING DATE of this communication app		et with the correspondence addre	ss
A SHOR THE MA - Extensic after SIX - If the pe - If NO pe - Failure t Any rep earned	RTENED STATUTORY PERIOD FOR REPLY ALLING DATE OF THIS COMMUNICATION. Ons of time may be available under the provisions of 37 CFR 1.13 (6) MONTHS from the mailing date of this communication. In of of reply specified above is less than thirty (30) days, a reply riod for reply is specified above, the maximum statutory period to reply within the set or extended period for reply will, by statute by received by the Office later than three months after the mailing patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, my within the statutory minimum will apply and will expire SIX (6), cause the application to beco	ay a reply be timely filed of thirty (30) days will be considered timely. MONTHS from the mailing date of this committee ABANDONED (35 U.S.C. § 133).	unication
Status				
2a)⊠ T 3)∐ S	esponsive to communication(s) filed on <u>07/07</u> his action is <b>FINAL</b> . 2b) This ince this application is in condition for alloward osed in accordance with the practice under E	action is non-final.	•	erits is
Disposition	า of Claims			
4a 5)□ C 6)⊠ C 7)□ C	laim(s) 1-7,9,11-18 and 20-32 is/are pending a) Of the above claim(s) is/are withdraw laim(s) is/are allowed. laim(s) 1-7, 9, 11-18, 20-32 is/are rejected. laim(s) is/are objected to. laim(s) are subject to restriction and/o	wn from consideration		
Application	n Papers			
10)□ Th A R	ne specification is objected to by the Examine ne drawing(s) filed on is/are: a) accepplicant may not request that any objection to the eplacement drawing sheet(s) including the correct ne oath or declaration is objected to by the Examine	epted or b) objected drawing(s) be held in ab ion is required if the dra	eyance. See 37 CFR 1.85(a). wing(s) is objected to. See 37 CFR 1	
Priority un	der 35 U.S.C. § 119			
12)	cknowledgment is made of a claim for foreign  All b) Some * c) None of:  Certified copies of the priority documents  Copies of the certified copies of the priority documents  plication from the International Bureause the attached detailed Office action for a list	s have been received s have been received rity documents have b u (PCT Rule 17.2(a)).	in Application No een received in this National Sta	ge
2) D Notice of 3) D Informa	of References Cited (PTO-892) of Draftsperson's Patent Drawing Review (PTO-948) tion Disclosure Statement(s) (PTO-1449 or PTO/SB/08) do(s)/Mail Date	Pape	iew Summary (PTO-413)  No(s)/Mail Date e of Informal Paternt Application (PTO-15) :	2)

Art Unit: 2613

#### DETAILED ACTION

# Claim Rejections - 35 USC § 112

- 1. The following is a quotation of the first paragraph of 35 U.S.C. 112:
  - The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.
- 2. Claims 1, 9, and 18 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

It is noted that the specification of the present invention serial number 09/902,124 discloses in the preferred embodiment that if any average SAD values exceeds its threshold, the macroblock is labeled as being erroneous or suspicious (714, 716, and 718 of fig. 7). There is no disclosure to describe that one or more sum absolute differences is greater than the threshold level as claimed. Appropriation correction is required.

#### Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an

Art Unit: 2613

international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

4. Claims 1-6, 9, 11-13, 16-18, 20-24, and 26-31 are rejected under 35 U.S.C. 102(3) as being anticipated by Isu et al. (US 6,697,433 B1) as best understand.

Re claims 1, 9, 18 and 26, Isu discloses a system (figure 2) that can be integrated in a computer for carrying out the method of decoding a digital video signal comprising a sequence of image frames, each image frame comprising a sequence of image slices, each image slice comprising a sequence of macroblocks and each macroblock comprising a plurality of pixels (figure 1, e.g. showing MPEG-4 standard, col. 6, line 55 through col. 7, line 10), said system comprising: an input for receiving said digital video signal (101 of fig. 2); an image frame store, a memory, for storing a previous image frame (3 of fig. 2); a macroblock decoder, a digital signal processor (1 of fig. 2), coupled to the input that receives said digital video signal and to said image frame store; and an error detector, an application specific integrated circuit (8) of fig. 1), coupled to the macroblock decoder, wherein said error detector is operable to calculate one or more sum of absolute differences between pixel values of the plurality of pixels (col. 15, lines 1-60, e.g. the pixel average pixel values are considered as pixel values of the plurality pixels) along one ore more edges of the maroblock and the pixel values on at least part of a boundary between a current macroblock and one or more adjoining macroblocks (BLOCK (m-1, n), BLOCK (m, n), BLOCK (M, n-1) of fig. 10) and to label the current macroblock as suspicious if the one or more sum of absolute differences is greater than a threshold level which is a weighted average sum absolute difference from one or more previous images, frames, or pictures (Cm,n>TH2, ST24 of fig. 9, e.g. labeling erroneous or suspicious is a judging process to determine the error of the picture or image or picture).

Art Unit: 2613

Re claim 11, Isu further discloses wherein said macroblock decoder comprises:

a demultiplexer (1 of fig. 2) coupled to the input that receives said digital video signal and configured to output compressed, quantized coefficient data and compressed motion vector data;

an inverse variable-length coder (1 of fig. 2) coupled to said demultiplexer and configured to output quantized coefficient data and motion vector data;

an inverse quantizer (5 of fig. 2) coupled to said inverse variable-length coder and configured to receive said quantized coefficient data and generate coefficient data;

an inverse discrete cosine transformer (6 of fig. 1) coupled to the inverse quantizer and configured to receive said coefficient data and generate a differential macroblock;

a motion compensator (2 of fig. 2) coupled to said inverse variable-length coder and configured to receive said motion vector data and a previous image frame and generate a previous motion compensated macroblock; and

a signal combiner (7 of fig. 2) configured to combine said previous motion compensated macroblock and said differential macroblock to produce a decoded macroblock.

Re claim12, Isu further discloses further comprising an error concealment element (10 of fig. 2) coupled to said error detector and said image frame store.

Re claim 13, Isu further discloses wherein said error concealment element operates to regenerate any subsequent macroblocks in an image slice if the current macroblock is labeled as suspicious (ST 24, ST26 of fig. 9).

Re claims 2, 16, 20, and 27, Isu further discloses wherein the pixel values are one or more channel components, wherein the one or more sum of absolute differences between the

pixel values is calculated for one or more of the one or more channel components (col. 6, lines 55 through col. 7, line 10; figs. 5 and 9, e.g. ST24).

Re claims 3-4, 17, 21-22, and 28-29, Isu further discloses wherein a macro-block is labeled as suspicious if any of the one or more sum of absolute differences between the pixel values is greater than the threshold level in one or more corresponding components of the one or more channel components from one or more previous image frames (ST 44 of fig. 15).

Re claims 6, 23, and 30, Isu further discloses wherein the threshold level is a weighted average of the one or more sum of absolute differences between pixel values along macroblock boundaries in at least one previous image frame (TH of fig. 9, e.g. note error detection (8 of fig. 2) detects the error partial image region according to a difference between the average of the first pixel levels and the average of each group of second pixel levels and a prescribed threshold value relating to the differences, means is a weighted average of the error metrics).

Re claims 5, 24 and 31, Isu further discloses regenerating all remaining macroblocks in accordance with a concealment strategy if a macroblock is labeled as suspicious (10 of fig. 2).

### Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 2613

2. Claims 7, 14-15, 25, and 32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Isu et al. (US 6,697,433 B1) in view Kuroda et al. (US 6,385,343).

Re claims 7, 14, 15, 25 and 32, Isu teaches all limitations except a syntax error detector, which is operable to detect syntax errors in the digital video signal, coupled to the error detector; wherein said error concealment element operates to regenerate any macroblocks in an image slice of the sequence of image slices that follows a macroblock labeled suspicious if a syntax error is detected by said syntax error detector as claimed.

However, Kuroda teaches a syntax error detector (1 of fig. 5), which is operable to detect syntax errors in the digital video signal, coupled to the error detector; wherein said error concealment element operates to regenerate any macroblocks in an image slice of the sequence of image slices that follows a macroblock labeled suspicious if a syntax error is detected by said syntax error detector. Therefore, taking the combined teachings of Isu and Kuroda as a whole, it would have been obvious to one of ordinary skill in the art to incorporate the syntax error detector (1 of fig. 5) into the system of Kuroda to perform the same purpose of detecting the syntax error of a encoded bitstream before decoding. Doing so would be possible to avoid the performance error detection by the error block detection means when reception conditions are good and perform overall stable decoding operations as suggested by Kuroda (col. 7, lines 15-20).

## Response to Arguments

3. Applicant's arguments filed 07/01/04 have been fully considered but they are not persuasive.

Art Unit: 2613

The applicant argued that Isu does not suggests the use of individual pixel values to compute the SAD across the boundary, page 11 of the remarks.

The examiner respectfully disagrees with the applicant. It is submitted that Isu does disclose the SAD between the average pixel values that includes individual pixel values of the neighboring blocks, wherein the neighboring blocks include the boundaries (fig. 10; col. 15, lines 1-60), so when Isu computes the SAD of the average of pixel values that include the individual pixel values. It is noted that the computation of Isu will result in more accuracy of detecting errors of a digital video signal, the concept of detecting the errors of the digital video signal is the same as the claimed invention. Therefore, Isu meets the claimed features.

#### Conclusion

4. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Art Unit: 2613

## **Contact Information**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tung T. Vo whose telephone number is (703) 308-5874. The examiner can normally be reached on 6:30 AM - 3:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chris. Kelley can be reached on (703) 305-4856. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

TUNGT NO PATERIX EXAMINER Tung T. Vo Primary Examiner Art Unit 2613

T.Vo.